

DELTA WASP 40100



CLAY

Australian Distributor
| Deltawasp Australia | www.deltawasp.com.au
giulio@deltawasp.com.au Tel: 02 8788 5588



Contacts
Email info@3dwasp.com
Tel. +39 0545 87858
Web www.3dwasp.com

TECHNICAL DETAILS

INFORMATION ON 3D PRINTING

Technology: Liquid Deposition Modeling
Cilindric Print Volume: Ø 400 x h 1000 mm
Layer resolution: max 0.5mm
Maximum print speed: 150 mm/s
Maximum travel speed: 150 mm/s
Material: porcelain, gres, clay

EXTRUDERS

Standard: LDM WASP Extruder
(nozzle diameter: 1.2mm)
Optional: LDM WASP Extruder XL
(nozzle diameter: 2mm, 4mm, 6mm, 8mm)

SOFTWARE

Operating Systems: Windows, Mac, Linux
Slicing softwares: Cura - SLic3r - Simplify 3D
Software interface Prinrun - Repetier Host
File extension: .stl, .obj, .gcode.

INTERFACE

SD Card - LCD display

PHYSICAL DIMENSION

Dimensions: 85 x 77 x h 195 cm
(h 270 with tank support)

WEIGHT

80 kg

SUPPLY

Input: 220/ 240 V 50/ 60 Hz
Absorbed power: 200W
Compressed air needed: min 8 bar

TEMPERATURE

Use: 20-30 C°
Warehouse: 0-30 C°

MECHANICS

Frame and cover: Aluminium, Steel,
Platform: steel
Movements: nylon wheels on aluminium slides

