*High Definition Pellet* technology for the Industry

## 4070 HDP

Australian Distributor | Deltawasp Australia | www.deltawasp.com.au| giulio@deltawasp.com.au Tel: 02 8788 5588





WASP 4070 HDP is a large format 3D printer designed to print directly from granules. Affordable, heavy-duty prints from plastic granules.


## WASP 4070 HDP 3D Printer for plastic granules

WASP 4070 HDP is the first small-sized WASP printer, as well as one of the very few in the world, to print directly from thermoplastic pellets.

WASP 4070 HDP is manufactured in metal, with non-deformable steel core belts, featuring a thermal and acoustic insulation. The system of controlled active chamber temperature up to 50 °C allows an optimal printing of standard, technical or recycled thermoplastics, while maintaining a relatively low temperature on the mechanics.

It is provided also with new motor drivers that make the printer much quieter and precise, combined with new, more powerful stepper motors that give it greater solidity.





### 1. HEPA filter

### 2. Pneumatic continuous feeding

### 3.5L granules tank

### 4. Print status indicator led bar

## 5. Fast and powerful delta kinematics

### 6. VAC Vacuum Active Control

The innovative vacuum retention system VAC (Vacuum Active Control), allows you to replace the printing plate in a few seconds, ensuring the total absence of micro-moves during printing even at high temperatures. The VAC also allows you to use printing plates of different types compatible with the printing material used, ensuring excellent adhesion. Easy adhesion and removal of the print with Vacuum Active Control System and dedicated buildplates.



The new High Definition Pellet extruder has been specifically developed for thermoplastic granules extrusion up to 350g/h

Print massive parts using granules up to 10 times cheaper than filaments

Retraction control during the extrusion

Easy adhesion and removal of the print with Vacuum Active Control System and dedicated buildplates.

Machine connected to the network for monitoring and control

# Print directly from granules

## Big prints big savings

### **Recycled materials**

Experiment with an incredibly wide variety of customized and WASP officials recycled materials.

# 24/7 printing

# Easily Interchangeable printing plates


# WI-Fi Module

The WASP 4070HDP is equipped with a pneumatically loaded HDP extruder capable of extruding standard, technical and recycled thermoplastics.

## WASP HDP extruder

A capacitive sensor placed on the extruder body detects the presence of material and independently requests it from the main 5-liter tank located on the side of the printer, interrupting the process in case the material runs out.

The main tank is equipped with a pressure regulator with oil/water separation tank. Customer requirement for the operation of the pneumatic loading system is a compressor of at least 6 bar and 10L capacity, with 8mm outlet pipe.





#### Plastic granule printing for Industrial applications.

### Materials

extruder.

PLA 100% RECYCLED ASA - UV resistant ABS - high mechanical resistance TPU - flexible material



PELLET granules are 10x cheaper than filaments and dramatically reduce printing time. Give plastic waste a second chance with our HDP

#### **PRODUCT SPECIFICATIONS**

Print volume: Ø 400 x h 600 mm Max output: 350g/h Nozzle diameter: 1mm Layer resolution: 200 - 500 micron Print speed: 150mm/s Travel speed: 250mm/s Connectivity: WiFi, LAN, USB Hotend temperature: Max 280°C Bed temperature: Max 120°C Chamber temperature: Max 50°

#### SOFTWARE

Supplied slicing software: Simplify3D<sup>®</sup> Supported slicing software: Cura, Slic3r File type: .stl, .obj, .gcode Supported OS: Windows, Mac, Linux

#### **INTERFACE**

7-inch TFT touch screen display and 60 LED RGB bar

#### **PHYSICAL DIMENSIONS**

Printer dimensions: 85 x 77 x 195 cm Printer weight: 95 kg Packaging dimension:100 x 100 x 230 cm Weight with packaging: 250 kg

#### **POWER REQUIREMENTS**

Input: 220/240 V 50/60 Hz (110V available) Assorbed power: Max 3Kw Average power: 0,600Kw Air compressor: 8bar, 50L tank, 6x8mm pipe

#### **ENVIRONMENT REQUIREMENTS**

Operating temperature: 15-30°C Storage temperature: 0-30°C


### **MECHANICS**

Frame: aluminum, steel, laminated glass. Bed: machined aluminum with interchangeable plates. Movement: nylon wheels on anodized aluminum sliders, PU steel core belts. Insulation: thermo-acoustic polymer foam.

#### **MATERIALS**

WASP official: 100% recycled PLA, ABS, ASA. Other: TPU, PP, PETG.

Industry 4.0 compliant technology. It is designed to print with pellet for big dimensions printing and saving material.



Australian Distributor | Deltawasp Australia | www.deltawasp.com.au| giulio@deltawasp.com.au Tel: 02 8788 5588

#### WASP

www.3dwasp.com

Ask for more information: www.3dwasp.com/en/conctact-us

@3dwasp #3dwasp



MADE IN ITALY

